



TERRALUX®

2013 / 2014 Product Catalog



LED FLASHLIGHTS, CONVERSION KITS, & WORK LIGHTS

866.498.1564 | TerraLUXPortable.com | PortableSales@TerraLUX.com

TerraLUX® Table of Contents

Table of Contents

Key Chain Lights 3

Tactical 4

Duty Rechargeables 6

Headlamps 8

Pro Series 10

Colorado 11

LightStar 12


Worklights 14

Accessories 15

Conversion kits for Streamlight® 16

Conversion kits for Maglite® 17

Product Reference Chart 18



TDR-2	TLF-TDR-2	Rechargeable	Quad-Mode	Strobe	Wide	3.1 / 1.3 / 21b	6 5/16" x 1 3/8"
InfiniStar CR	TLF-NFSTC	Ni-MH Rechargeable	Single	300	Medium	2+	9" x 2 1/4"
InfiniStar DR	TLF-NF31D-BLK	Li-Ion Rechargeable	Single or Tri-Mode	1000/500/<100	Medium	2+	10" x 2 1/4"
LightStar TruColor	TLF-TC2AA-RD	2xAA	Dual	185/75	Wide	3 / 24	6" x 7/8"
LightStar 300	TLF-3002AA	2xAA	Dual	300/100	Wide	3 / 24	6" x 7/8"

TerraLUX Key Chain Flashlights

Small but powerful is the order of the day. Whether it's locating change at the bottom of a purse or backpack, or trying to find the keyhole for your car door in a dark parking lot, these little torches are just what you need to light the way. Our key chain lights are manufactured from durable aluminum and pack a large punch while being conveniently sized to always be along for the ride.



TLF KEY 1

	Lumens	Runtime
HIGH	18	10.5h
LED	05mm Nichia White	
BATTERY	4 x LR41 Button Cells	
WEIGHT	0.4 oz (batteries installed)	

COLOR OPTIONS



TLF KEY 2

	Lumens	Runtime
HIGH	36.5	2h
LED	CREE XP-C	
BATTERY	1x AAA Alkaline	
WEIGHT	0.9 oz (battery installed)	

COLOR OPTIONS



TerraLUX® Tactical™ Models

TerraLUX Tactical

Introducing our new TerraLUX Tactical (TT) flashlights. The new TT series of flashlights from TerraLUX are precision engineered illumination tools, developed for tactical and self-defense applications. The TT series is built to withstand the most RUGGED conditions, provide unsurpassed RELIABILITY, and provide all the unique PROFESSIONAL features demanded by those that protect and serve. Law Enforcement tested and approved by thousands of officers nationwide.



All TerraLUX Tactical Flashlights Include:

CNC machined 6061 aluminum, type III hard anodized

Removable Crenelated Bezel (TT-5)
Available threaded glass filters in red, blue, green and diffused white

Removable Grip Ring (TT-5)

Dual Button Tailcap Switch

Momentary / Constant On

Mode control with direct disabling strobe access

Weather Resistance
IPX8 water-proof for 4 hours at 2 meters depth

Impact tested to 1.5 meters

Tempered glass lens with precision micro textured reflector



WARRANTY FOR LIFE WARRANTY

*All TT models include Ballistic nylon holster, lanyard, pocket clip, spare o-rings and switch boot

TerraLUX Tactical





TT-1

ANSI FL1		
HIGH	250	1h
MEDIUM	56	4h
LOW	7	60h
LED	CREE XP-G2	
BATTERY	1xCR123	





TT-2

ANSI FL1		
HIGH	115	1.5h
MEDIUM	60	6h
LOW	5	60h
LED	CREE XP-G2	
BATTERY	1xAA Alkaline or Ni-MH	





TT-3

ANSI FL1		
HIGH	250	1.25h
MEDIUM	63	8h
LOW	7	90h
LED	CREE XP-G2	
BATTERY	2xAA Alkaline or Ni-MH	





TT-4

ANSI FL1		
HIGH	520	2.5h
MEDIUM	164	7.3h
LOW	4	170h
LED	CREE XM-L U2	
BATTERY	1x18650 or 2xCR123	

*Runtimes calculated using 2400 mAh 18650 battery



TT-5


ANSI FL1		
HIGH	650	2.2h
MEDIUM	150	7.3h
LOW	10	295h
LED	CREE XM-L U2	
BATTERY	1x18650 or 2xCR123	

*Runtimes calculated using 2400 mAh 18650 battery

TerraLUX® TDR™ Models

TerraLUX TDR Duty Rechargeable Flashlight

The new TerraLUX Duty Rechargeable (TDR) flashlight has the features that our law enforcement and security customers have been demanding. The dual button switch provides simple intuitive access to the disabling strobe at any moment, eliminating the fear of selecting the wrong mode when you need it most. Additionally, the unique self-orienting magnetic charger is easily connected to the light, even when it's in a holster.



CNC machined 6061 aluminum, type III hard anodized

Weather Resistance
IPX8 water-proof for 4 hours at 2 meters depth



TDR-2

ANSI FL1		
HIGH	500	3.1h
MEDIUM	150	7.3h
LOW	10	215h
LED	CREE XM-L U2	
BATTERY	1x18650 Recommended	

*Runtimes calculated using 2400 mAh 18650 battery

Removable Crenelated Bezel

Available threaded glass filters in red, blue, green and diffused white

Tempered glass lens with precision micro textured reflector

Dual button side mount switch


Impact tested to 1.5 meters

Momentary / Constant on / Mode control

Direct disabling strobe access



Self-orienting magnetic USB charging cable (included)



***Includes lanyard, pocket clip, spare o-rings, USB charging cable and one rechargeable 2200 mAh 18650 battery.**

InfiniStar® DR and InfiniStar® CR Rechargeable Flashlights

The TerraLUX® InfiniStar® LED flashlight is another great innovation from TerraLUX Portable. It doesn't come with useless "bells and whistles." It's jam packed with practical features that make it a powerhouse unit for any professional or hard-core do-it-yourselfer.



InfiniStar® DR

	Lumens	Runtime
HIGH	1000	2+h
MEDIUM	500	3h
LOW	<100	22h
BATTERY	2400 mAh 7.4V Li-Ion	

Durable ergonomic rubber grip



AC Charger & Port

Charge with batteries in flashlight, charging port protected from elements.




Weather Resistance


Dust, dirt and moisture won't keep these flashlights from providing a bright, white light when you need it. These flashlights are designed to weather any storm.

Aircraft Grade Aluminum



Our aircraft grade aluminum housings are built to last – standing up to the abuse and everyday wear and tear that comes from your working environment.



Modular LED light engine



InfiniStar® CR

	Lumens	Runtime
HIGH	300	2+h
BATTERY	3000 mAh 3.6V Ni-MH	
COLOR OPTIONS	 	

TerraLUX® Headlamp™ Models

Headlamps

Introducing our new TerraLUX Headlamps. Built to outperform all competitors, TerraLUX has taken headlamp design to the next level. Featuring ultralight construction, a durable aluminum housing, and incredible output, TerraLUX headlamps are truly best in class. Our headlamps will remain comfortable and stable on your head since they're light, they won't break since they're aluminum, and they shine as bright as anything you can buy. Backed by a Limited Lifetime Warranty, TerraLUX headlamps are the best choice for your hands-free lighting needs.



Ultralight Design

TLH-10 weighs in at a mere 3.2 oz (batteries included)

TLH-50 weighs in at only 5.3 oz (batteries included)

Friction adjustment keeps light on target

Max / High / Medium / Low / Quick flashing modes
(TLH-10 does not have "max" setting)

Aluminum body impact tested to 1 meter

Weather Resistance

IPX7 water-proof for 30 minutes at 1 meter depth



CNC machined 6061 aluminum, type II hard anodized





TERRALUX

Headlamps





TLH-10

ANSI FL1		
HIGH	95	1.4h
MEDIUM	55	2.5h
LOW	20	5.5h
STROBE	95	--
LED	CREE XP-C	
BATTERY	1x1.5V AA Alkaline	
WEIGHT	3.2 oz (batteries included)	



TLH-50

ANSI FL1		
MAX	540	3h
HIGH	250	4.5h
MEDIUM	100	12h
LOW	20	65h
STROBE	540	--
LED	CREE XM-L U2	
BATTERY	2xCR123	
WEIGHT	5.3 oz (batteries included)	

TerraLUX® Pro Series Models

TerraLUX Pro Series Flashlights

Here it is! TerraLUX's next generation of Professional Grade LED flashlights. The Pro-Series flashlights have been manufactured from Aerospace Grade Aluminum and project increased lumen output through the incorporation of next generation CREE LED technology. All-new improved ergonomics make these lights more comfortable in the hand for hours of professional use. The same trusted quality and durability our customers have come to expect in a new modern package with our same Limited Lifetime Warranty.

CNC machined 6061 aluminum,
Type II hard anodized

Recessed
tail switch




Polycarbonate lens with precision
reflector



Impact tested to 1 meter

Weather resistant



TLF PRO 1

ANSI FL1		
HIGH	154	1.5h
LOW	67.5	4h
STROBE	154	--
LED	CREE XP-E	
BATTERY	1 x AA Alkaline	
COLOR OPTIONS		



TLF PRO 2

ANSI FL1		
HIGH	225	3.6h
LED	CREE XP-G	
BATTERY	2 x AA Alkaline	



TLF PRO 3



ANSI FL1		
HIGH	280	2.8h
MEDIUM	150	7h
LOW	70	20h
STROBE	280	--
LED	CREE XP-G	
BATTERY	2 x AA Alkaline	
COLOR OPTIONS		

TerraLUX COLORADO Flashlight

A high-performance, feature-packed, 580 Lumen flashlight that operates on inexpensive, easy-to-find AA batteries. The Colorado is a multi-tasking flashlight designed for everyone who wants only the best. The threaded aluminum head accepts our colored filters and the high-strength polymer body is designed to rebuff high impact use without damage. Combine this with the addition of our mode-memory feature and a battery status indicator and this light becomes a versatile and reliable friend for everyone; from tradesmen to outdoor enthusiast and everyone in between.



TLF COLO 500

ANSI FL1		
MAX	580	1.5h
HIGH	250	3.6h
MEDIUM	60	18h
LOW	3	150h
LED	CREE XM-L	
BATTERY	4 x AA Alkaline	



TerraLUX® LightStar™ Models

LightStar™

TerraLUX builds professional-grade LED flashlights for everyone from HVAC, automotive and repair technicians to the household user. With super-durable, all-aluminum construction, high-brightness LED components, and a Limited Lifetime Warranty, the LightStar line of flashlights offers something for everyone, at a price we can all afford.



Aircraft Grade Aluminum

Our aircraft grade aluminum housings are built to last – standing up to the abuse and everyday wear and tear that comes from your working environment.




Smart Battery Choices

TerraLUX knows when you're in the field, you can't always get to a specialty shop when your batteries run low. So, our flashlights work with AA and AAA Alkaline and rechargeable batteries you can find at any corner store.**



Weather Resistance

Dust, dirt and moisture won't keep these flashlights from providing a bright, white light when you need it. These flashlights are designed to weather any storm.



Lifelong LEDs

Because TerraLUX uses top-shelf LED chips, they don't break and burn out like incandescent or halogen bulbs. In fact, you'll NEVER have to replace one.



***Include Ballistic nylon holster, lanyard, pocket clip,**
(LightStar 300 does not come with a holster)

** non-rechargeable models



LightStar™ 80

	Lumens	Runtime
HIGH	80	5h
BATTERY	2x1.5V AAA Alkaline	
HIGH CRI* (see page 9)		
BITE GRIP		
COLOR OPTIONS		



LightStar™ 100

	Lumens	Runtime
HIGH	100	2h
LOW	50	8.5h
STROBE	100	--
BATTERY	1x1.5V AA Alkaline	
COLOR OPTIONS		



LightStar™ Products



LightStar™ 180

	Lumens	Runtime
HIGH	180	1.5h
BATTERY	2x1.5V AA Alkaline	



LightStar™ 220

	Lumens	Runtime
HIGH	220	3.5h
LOW	100	26h
BATTERY	2x1.5V AA Alkaline	



LightStar™ 300

	Lumens	Runtime
HIGH	300	3h
MEDIUM	100	24h
BATTERY	2x1.5V AA Alkaline	


COLOR OPTIONS



LightStar TruColor®

	Lumens	Runtime
HIGH	185	3h
MEDIUM	75	24h
BATTERY	2x1.5V AA Alkaline	
HIGH CRI*	(see below)	

*High CRI - With TerraLUX® TruColor® Technology



TerraLUX uses the best LED light sources. That means when you need true color representation, there's a high CRI (Color Rendering Index) light available from TerraLUX.

Available in LightStar 80™ and LightStar TruColor®.

TerraLUX® Work Light™ Models

TerraLUX Work Lights

The TerraLUX Worklight 100 and Worklight 50 are industrial strength and perfect for the home, car, truck, boat, camping, garage, outdoors and emergency lighting. Rugged construction ensures durability and they can be charged nearly anywhere with the included AC and Car chargers. TerraLUX work lights are ready to work when you are.



Durable, hands-free hook

WARRANTY 1 YEAR WARRANTY

Unique diffuser and neutral LED provide exceptional light quality

Non-slip, ergonomic grip

TLW-50

ANSI FL1	200	3.5h
WORK LIGHT	200	3.5h
BATTERY	Rechargeable Ni-MH	

Recharges in 5 hours!

Work Light + Flashlight

WARRANTY 1 YEAR WARRANTY

TLW-100

ANSI FL1	475	3.5h
WORK LIGHT	475	3.5h
FLASHLIGHT	120	8h
BATTERY	Rechargeable Ni-MH	

*AC charger and car charger included, magnetic mounting clips available (sold seperately)

TerraLUX Product Accessories



InfiniStar® Holsters

FITS InfiniStar® DR / CR
Genuine leather fits Colorado
 Fits standard size belts
DIMENSIONS 2 1/8"W x 8"L
MATERIAL OPTIONS
 Ballistic nylon
 Genuine leather



LightStar™ & Pro Series Holsters

FITS LightStar™ 180, 220, 300
 Pro 2, Pro 3
 Fits standard size belts
DIMENSIONS 1 7/8"W x 4 3/4"L
MATERIAL OPTIONS
 Ballistic nylon
 Genuine leather



Tactical Holster

FITS TT-5 and TDR-2
 Fits 2 1/4" size belts
DIMENSIONS 2 3/16"W x 4 7/8"L
MATERIAL OPTIONS
 Genuine leather



Weapons Mount

FITS TT-1, TT-4, TT-5 and TDR-2



Pressure Switches

FITS TT-5, TT-4, TT-3, TT-2, TT-1



Color Filters

FITS TT-5, TDR-2 and COLORADO



Safety Cone

FITS TT-5 and TDR-2



Magnetic Mount

FITS TLW-100, TLW-80, TLW-50,
 TLW-30



TerraLUX Batteries

18650 2900 mAh rechargeable



Battery Charger

CHARGES rechargeable 18650

TerraLUX® Conversion Kits for Streamlight®

TerraLUX LED Conversion Kits for Streamlight®

TerraLUX has conversion kits and upgrades for popular flashlight brands. We also have a universal upgrade for many battery powered lights and appliances. Turn your incandescent or halogen lamp into a searchlight-bright LED flashlight. Get longer run-time and never replace another bulb.

MiniStar™ ST-EX

	Lumens	Runtime
HIGH	300	2h
MODE	Single	

Upgrades: Streamlight Stinger®
Streamlight PolyStinger®



MiniStar™ SRN

	Lumens	Runtime
HIGH	200	3.5+h
MODE	Single	

Upgrades: Streamlight Strion®



MiniStar™ 110S/MM

	Lumens	Runtime
HIGH	600	1.5h
MEDIUM	300	6h
LOW	MOON	24h
MODE	Single or Tri-Mode	

Upgrades:
Streamlight SL20X / 20X LED®



MiniStar™ US/MM

	Lumens	Runtime
HIGH	300	2h
MEDIUM	150	6h
LOW	MOON	24h
MODE	Single or Tri-Mode	

Upgrades:
Streamlight UltraStinger®



MiniStar™ HP3

	Lumens	Runtime
HIGH	180	6h
MODE	Single	

Upgrades:
Streamlight Stinger HP®



Watch installation videos at: www.terraluxportable.com/products/led-conversion-kits/

TerraLUX® is not affiliated with Streamlight, Inc., which owns the STREAMLIGHT® trademark, and the "STINGER®" and "SL®" lines of trademarks. Streamlight Inc.'s trademarks are used here only to identify the flashlights with which TerraLUX® intends its products to work. TerraLUX's products are not made, endorsed, or sponsored by Streamlight, Inc.

TerraLUX LED Conversion Kits for Maglite®

MiniStar™ 31MR-EX

	Lumens	Runtime
HIGH	1000	2h
MEDIUM	500	6h
LOW	<100	37h
MODE	Single or Tri-Mode	

Upgrades:
Maglite MagCharger®



MiniStar™ 31M-EX

	Lumens	Runtime
HIGH	1000	2h
MEDIUM	500	6h
LOW	<100	37h
MODE	Single or Tri-Mode	


Upgrades:
4-6 cell MagCharger®



MiniStar™ 2®-EX

	Lumens	Runtime
HIGH	140	4h
MODE	Single	

Upgrades:
Maglite MiniMag®



MiniStar™ 5

	Lumens	Runtime
HIGH	140	33h
MODE	Single	

Upgrades:
4-6 cell Maglite®



MiniStar™ 5B

	Lumens	Runtime
HIGH	140	17h
MODE	Single	

Upgrades:
2-3 cell Maglite®



MiniStar™ 1

	Lumens	Runtime
HIGH	50	20h
MODE	Single	

Upgrades:
Most battery powered lights
and appliances



Watch installation videos at: www.terraluxportable.com/products/led-conversion-kits/

TerraLUX is not affiliated with Mag Instrument, Inc., which owns the MAG-LITE®, MINI MAGLITE® and MagCharger® trademarks and the trademark on the shape, style, and overall appearance of all MAG® flashlights. Mag Instrument, Inc.'s trademarks are used here only to identify the flashlights with which TerraLUX intends its product to work. TerraLUX's products are not made, endorsed, or sponsored by Mag Instrument, Inc.

TerraLUX® Product Reference Chart

Product Reference Chart

Flashlights / Work Lights

Name	Model No.	Battery Type	Modes	Lumens	Beam	Runtimes (Hrs.)	Dimensions (in.)
------	-----------	--------------	-------	--------	------	-----------------	------------------

Flashlights

Colorado	TLF-COLO-500	4xAA	Quad-Mode	580/250/60/3	Medium	1.5/3.6/18/150	1 9/16" x 7 1/4"
InfiniStar CR	TLF-NFSTC	Ni-MH Rechargeable	Single	300	Medium	2+	9" x 2 1/4"
InfiniStar DR	TLF-NF31D-BLK	Li-Ion Rechargeable	Single or Tri	1000/500/<100	Medium	2+	10" x 2 1/4"
LightStar 80	TLF-802AA	2xAAA	Single	80	Medium	5	5 1/2" x 5/8"
LightStar 100	TLF-1C1AA	1xAA	Hi/Lo/Strobe	100/50/Strobe	Narrow	2 / 8.5	4" x 7/8"
LightStar 180	TLF-3C2AA	2xAA	Single	180	Narrow	1.5	6" x 7/8"
LightStar 220	TLF-3C2AAEX	2xAA	Dual	220/100	Narrow	3.5 / 26	6" x 7/8"
LightStar 300	TLF-3002AA	2xAA	Dual	300/100	Wide	3 / 24	6" x 7/8"
LightStar TruColor	TLF-TC2AA-RD	2xAA	Dual	185/75	Wide	3 / 24	6" x 7/8"
Pro 1	TLF-PRO-1	1xAA	Tri-Mode	154/67.5/Strobe	Medium	1.5/4	13/16" x 4 3/16"
Pro 2	TLF-PRO-2-BLK	2xAA	Single	225	Medium	3.6	1" x 6 5/16"
Pro 3	TLF-PRO-3	2xAA	Quad-Mode	280/150/70/ Strobe	Medium	2.8/7/20	1" x 6 5/16"
TDR-2	TLF-TDR-2	1x18650 Rechargeable	Quad-Mode	500/150/10/ Strobe	Wide	3.1 / 7.3 / 215	6 5/16" x 1 3/8"
TT-1	TLF-TT-1	1xCR123	Quad-Mode	250/56/7/Strobe	Narrow	1 / 4 / 60	3 7/8" x 7/8"
TT-2	TLF-TT-2	1xAA	Quad-Mode	115/60/5/Strobe	Narrow	1.5 / 6 / 60	4 5/8" x 15/16"
TT-3	TLF-TT-3	2xAA	Quad-Mode	250/63/7/Strobe	Medium	1.25 / 8 / 90	6 3/8" x 15/16"
TT-4	TLF-TT-4	1x18650 or 2xCR123	Quad-Mode	520/164/4/Strobe	Medium	2.5 / 7.3 / 170	5 5/16" x 1"
TT-5	TLF-TT-5	1x18650 or 2xCR123	Quad-Mode	650/150/10/ Strobe	Wide	2.2 / 7.3 / 295	5 13/16" x 1 3/8"

Work Lights

WorkLight 50	TLW-50	NiMH Rechargeable	Single	200	Wide	3.5	14 1/4" x 1 7/8"
WorkLight 100	TLW-100	NiMh Rechargeable	Work Light/ Flashlight	475 / 120	Wide	3.5 Work Light, 8 Flashlight	14 3/4" x 1 7/8"

Headlamps

TLH-10	TLH-10	1xAA	Quad-Mode	95/55/20/Strobe	Narrow	1.4 / 2.5 / 5.5	
TLH-50	TLH-50	2xCR123	Five -Mode	540/250/100/20/ Strobe	Narrow	3 / 4.5 / 12 / 65	

Accessories

18650 Batteries	TLB-18650	Li-Ion Rechargeable	-	-	-	-	2 5/8" x 5/8"
Battery Charger	TBC-18650	Li-Ion Rechargeable	-	-	-	-	4" x 2 1/4"
Color Filters	TCF-(B,G,R,W)	-	-	-	-	-	1 3/8" x 7/16"
InfiniStar Holster	TLA-HO2	(Nylon)	-	-	-	-	1 15/16" x 7 7/8"
InfiniStar Holster	TLA-HO4	(Leather)	-	-	-	-	2 1/8" x 4 1/2"
LightStar Holster	TLA-HO1-NBK	(Nylon)	-	-	-	-	5 1/2" x 1 5/8"
LightStar Holster	TLA-HO1-LBK	(Leather)	-	-	-	-	1 13/16" x 4 7/8"
Magnetic Mount	TMM-3	-	-	-	-	-	3" x 2"
Pressure Switches	TPS-(1,4,5)	-	-	-	-	-	11 11/16"
Safety Cone	TLA-CONE-1	-	-	-	-	-	1 5/8" x 5 11/16"
Tactical Holster	TLA-HO5	(Leather)	-	-	-	-	2 3/16" x 4 7/8"
Weapons Mount	TLF-TTWM-1	-	-	-	-	-	2 3/4" x 1 1/2" x 1 3/16"

Product Reference Chart

Conversion Kits

Name	Model No.	Upgrade Fits	Modes	Lumens	Beam	Runtimes (Hrs.)
<i>Fits Streamlight®</i>						
MiniStar US	TLE-US	UltraStinger®	Single	300	Narrow	2
MiniStar US-MM	TLE-US-MM	UltraStinger®	Tri-Mode	300/150/Moon	Narrow	2 / 6 / 24
MiniStar 110S	TLE-110S	SL20X & 20X LED®	Single	600	Narrow	1.5
MiniStar 110S-MM	TLE-110S-MM	SL20X & 20X LED®	Tri-Mode	600/300/Moon	Narrow	1.5 / 6 / 24
MiniStar HP3	TLE-HP3	Stinger HP®	Single	180	Narrow	6
MiniStar SRN	TLE-SRN	Strion®	Single	200	Medium	3.5+
MiniStar ST/EX	TLE-ST1-EX	Stinger & PolyStinger®	Single	300	Medium	2

Fits Maglite®

MiniStar 2-EX	TLE-5EX	2AA MiniMag®	Single	140	Variable	4
MiniStar 5	TLE-6EX	4-6 Cell Maglite®	Single	140	Variable	33
MiniStar 5B	TLE-6EXB	2-3 Cell Maglite®	Single	140	Variable	17
MiniStar 31M-EX	TLE-310M-EX	4-6 Cell Maglite®	Single or Tri-Mode	1000/500/<100	Medium	2 / 6 / 37
MiniStar 31MR-EX	TLE-310MR-EX	MagCharger®	Single or Tri-Mode	1000/500/<100	Medium	2 / 6 / 37
MiniStar 1	TLE-1F	Various lights/appliances	Single	50	Narrow	20

TerraLUX® is not affiliated with Streamlight, Inc., which owns the STREAMLIGHT® trademark, and the "STINGER®" and "SL®" lines of trademarks. Streamlight Inc.'s trademarks are used here only to identify the flashlights with which TerraLUX® intends its products to work. TerraLUX's products are not made, endorsed, or sponsored by Streamlight, Inc. TerraLUX is not affiliated with Mag Instrument, Inc., which owns the MAG-LITE®, MINI MAGLITE® and MagCharger® trademarks and the trademark on the shape, style, and overall appearance of all MAG® flashlights. Mag Instrument, Inc.'s trademarks are used here only to identify the flashlights with which TerraLUX intends its product to work. TerraLUX's products are not made, endorsed, or sponsored by Mag Instrument, Inc.

Multi-Mode Upgrades

Get more from your industrial strength incandescent flashlight. Convert your single mode incandescent flashlight to a dual mode LED light and enjoy the benefits of LED technology without purchasing a new flashlight.



Warranty Policy

All TerraLUX products come with a limited manufacturer's warranty covering manufacturing defects. We will, at our option and discretion, repair or replace the product, or provide the necessary user-installable replacement components. Below is our warranty policy from date of purchase:

LightStar Series: Limited Lifetime

InfiniStar Series: Limited Lifetime on body, 2 year on battery

Tactical (TT Series): Limited Lifetime

LED Conversion Kits: 1 Year

Work Lights: 1 Year

Important! The warranty does not cover battery replacement or damage to a flashlight caused by drained, leaking or defective batteries, nor does it cover damage caused by misuse, abuse, or neglect.

This warranty is in lieu of any and all other warranties, expressed or implied, to the extent allowed by applicable law.

Call 866.498.1564 today or visit TerraLUXPortable.com



TERRALUX[®]
RUGGED - RELIABLE - PROFESSIONAL

TerraLUX[®] Inc. ©2013
1830 Lefthand Cir. Ste. B | Longmont, CO 80501 | USA
TerraLUXPortable.com | 866.498.1564 | PortableSales@TerraLUX.com