


ARCHITECTURAL CEILING DIFFUSERS

SQUARE PLAQUE • CORNER POSTS

ROUND NECK • STEEL

MODEL: UNI2

■ TYPE L Lay-in T-Bar



Dimensional Data

CM		Imperial Units (inches)					Metric Units (mm)				
Imperial Modules	Metric Modules	Duct Size D	N	Α	В	С	Duct Size D	N	Α	В	С
24 x 24	600 x 600	6, 8, 10, 12, 14, 15	1 1/4	2 5/16	22	3/8	152, 203, 254, 305, 356, 381	32	59	559	10

DESCRIPTION:

- 1. Material: Corrosion-resistant steel.
- 2. The UNI2 Diffuser has been designed to provide both the unobtrusive appearance for architectural excellence and engineered performance.
- 3. The diffuser delivers a tight 360° radial horizontal pattern allowing high turn down ratios with no dumping. Excellent for VAV systems.
- 4. The diffuser features a stamped one-piece outer-cone backpan which eliminates mitered corners. The inner face panel features a hemmed edge for strength and a clean appearance. The hemmed edge also mechanically captures the hanger brackets. This design eliminates welding and assures a clean smooth blemish free painted finish under all lighting conditions.
- 5. The face panel is held in place by four hook corner posts that positively engage into slots in the backpan. The panel can be removed from the backpan for diffuser installation and to provide access to an optional inlet damper.
- 6. Standard finish is AW Appliance White.

OPTIONS:

- ☐ EX External Foil-Back Insulation, installed R-4.2
- ☐ EXB External Foil-Back Insulation, ships loose R-4.2
- ☐ MIB Molded Insulation Blanket R-6.0 (24 x 24 only)
- EQT Earthquake Tabs

Finish:

☐ SP Special. Specify _____

QB Quadrant Blanks:

- ☐ QB3 3-Way Blow
- ☐ QC2 2-Way Corner Blow
- ☐ QB2 2-Way Opposite Blow
- ☐ QB1 1-Way Blow

Fineline® is a registered trademark of USG Interiors Inc.

SCHEDULE TYPE:Dimensions are in inches (mm).PROJECT:DATEB SERIESSUPERSEDESDRAWING NO.CONTRACTOR:3 - 11 - 16UNI11 - 27 - 09UNIZ

