

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATIONS AND OF THE COMPANY UNDERTAKING

Product Name 627-20, 627-35
Product Description Pressure Sensitive Adhesive
Manufacturer/Supplier Berry Plastics Corporation, Tapes and Coatings Division
Address 25 Forge Parkway
 Franklin, MA 02038
Phone Number (800) 248-7659 (Monday – Friday 8:00 am to 5:00 pm)
Chemtrec Number (800) 424-9300
Revision Date:
MSDS Date: March 14, 2012

Safety Data Sheet according to EC directive 2001/59/EC and OSHA's Hazcom Standard (29 CFR 1910.1200)

2. HAZARDS IDENTIFICATION

EU Main Hazards
 Not classified as hazardous.

Routes of Entry

Skin contact

Carcinogenic Status

See Section 11 for information.

Target Organs

Skin

Health Effects - Eyes

Contact may cause irritation due to mechanical abrasion.

Health Effects - Skin

Prolonged, repeated contact with adhesive may cause skin irritation.

Health Effects - Ingestion

Not an expected route of entry during normal handling and use.

Health Effects - Inhalation

Not an expected route of entry during normal handling and use.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component Name	CAS#/Codes	Concentration	R Phrases	Classification
Polymers, Rubber, and Resins	N.A.	<50%	None	None
Distillates(petroleum)Hydrotreated Light Naphthenic	64742-53-6 265-156-6	<10%	None	None
Distillates(petroleum)Hydrotreated Heavy Naphthenic	64742-52-5 265-155-0	<20%	R45	T, Carc. Cat. 2
Inorganic Compounds	N.A.	<15%	None	None
Carbon Black	1333-86-4 215-609-9	<10%	None	None

4. FIRST AID MEASURES

Eyes

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

Skin

Wash skin thoroughly with soap and water. Obtain medical attention if blistering occurs or redness persists.

Ingestion

Obtain medical attention immediately.

Inhalation

Remove person to fresh air. Seek medical attention if symptoms persist.

Advice to Physicians

Treat symptomatically.

5. FIRE - FIGHTING MEASURES

Extinguishing Media

Water spray, carbon dioxide and dry chemical.

Unusual Fire and Explosion Hazards

May release hazardous vapors during a fire.

Protective Equipment for Fire-Fighting

Wear full protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

No specific measures necessary. Prevent the material from entering drains or watercourses.

7. HANDLING AND STORAGE

Keep away from heat and sources of ignition. Storage area should be: - cool - dry - well ventilated - away from incompatible materials

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Standards

Exposure limits are listed below, if they exist.

Polymers, Rubber and Resins

None established

Distillates(petroleum)Hydrotreated Light Naphthenic as Oil mist, mineral

ACGIH TLV: 5 mg/m³, STEL: 10 mg/m³

Distillates(petroleum)Hydrotreated Heavy Naphthenic as Oil mist, mineral

ACGIH TLV: 5 mg/m³, STEL: 10 mg/m³

Carbon Black

OSHA and ACGIH TLV: 3.5 mg/m³

Engineering Control Measures

No specific measures necessary. Good general room ventilation is expected to be adequate to control airborne levels.

Respiratory Protection

Respiratory protection not normally required.

Hand Protection

Not required under normal conditions of use. However, care should be taken to avoid contact with the adhesive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection

Safety glasses

Body Protection

Normal work wear.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Pressure sensitive adhesive coated on polymer backing
Color	Black adhesive
Odor	Slight rubber
pH	Not applicable
Specific Gravity	No data available
Boiling Range/Point (°C/F)	Not applicable
Melting Point (°C/F)	Not applicable
Flash Point (PMCC) (°C/F)	Not known
Explosion Limits (%)	No data available
Vapor Pressure	Not applicable
Density	No data.
Solubility in Water	Not known
Vapor Density (Air = 1)	Not applicable

10. STABILITY AND REACTIVITY

Stability

Stable under normal conditions.

Conditions to Avoid

Heat - High temperatures

Materials to Avoid

Strong oxidizers

Hazardous Polymerization

Will not occur.

Hazardous Decomposition Products

Oxides of carbon – hydrocarbons and partially oxidized hydrocarbons

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Distillates(petroleum)Hydrotreated Light Naphthenic: LD50 Oral (rat) >5000 mg/kg
LD50 Dermal (rabbit) > 2000 mg/kg
Distillates(petroleum)Hydrotreated Heavy Naphthenic: LD50 Oral (rat) >5000 mg/kg
LD50 Dermal (rabbit) > 5000 mg/kg

Carbon Black: LD50 (rat), >8000 mg/kg

Specific Target Organ Systemic Toxicity (single and repeat)

No relevant studies identified.

Serious Eye damage/Eye Irritation

May cause irritation due to mechanical abrasion.

Skin Corrosion/Irritation

May cause slight irritation on prolonged, repeated contact.

11. TOXICOLOGICAL INFORMATION

Respiratory or Skin Sensitization

Carbon Black: No evidence of sensitization was found in animals. No cases of sensitization in humans have been reported no animal data available.

Carcinogenicity

Carbon Black is classified by IARC: Group 2B possible human carcinogen. When encapsulated in the adhesive matrix the risk of exposure is reduced.

Germ Cell Mutagenicity

Carbon Black: Not considered to be mutagenic based on in vivo studies.

Toxicity to Reproduction

Carbon Black: No reproductive effects have been reported in long term animal studies.

12. ECOLOGICAL INFORMATION

Mobility

Carbon Black: Mobility: Not soluble in water. Not expected to migrate. Expected to remain on soil surface.

Persistence/Degradability

No relevant studies identified.

Bio-accumulation

Carbon Black: Potential bioaccumulation is not expected because of physiochemical properties of the substance.

Ecotoxicity

Carbon Black: LC50 Zebra fish >1000mg/l 96hr
EC50 Water flea >5600 mg/l 24hr
EC50 Algae >10,000 mg/l 72hr

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with all applicable local and national regulations.

14. TRANSPORT INFORMATION

DOT CFR 172.101 Data	Not Regulated
UN Proper Shipping Name	Not Regulated
UN Class	None.
UN Number	None.
UN Packaging Group	None.
Classification for AIR Transportation (IATA)	Consult current IATA Regulations prior to shipping by air.

15. REGULATORY INFORMATION

EU Label Information

Classification and labelling have been performed according to EU directives 67/548/EEC and 99/45/EC including amendments(2001/60/EC and 2006/8/EC)

EC Annex I Classification

According to EC Commission Directive 67/548/EEC this product is not classified.

R phrases

None.

S phrases

None.

15. REGULATORY INFORMATION

US REGULATIONS (Federal, State) and INTERNATIONAL CHEMICAL REGISTRATION LAWS

TSCA Listing

This product contains ingredients that are listed on or exempt from listing on the EPA Toxic Substance Control Act Chemical Inventory.

EINECS Listing

All ingredients in this product have not been verified for listing the European Inventory of Existing Commercial Chemical Substances (EINECS) or are exempt from listing.

DSL (Canadian) Listing

All ingredients in this product are listed on the Domestic Substance List (DSL).

California Proposition 65

The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986.

To the best of the manufacturer's knowledge the products manufactured do not contain Proposition 65 Chemicals at levels which would require warning labels as known to the State of California to cause cancer or reproductive toxicity.

SARA Title III Sect. 311/312 Categorization

Immediate (acute) Delayed (chronic)

SARA Title III Sect. 313

This product contains the following chemicals that are listed in Section 313 at or above de minimis concentrations: None

16. OTHER INFORMATION

NFPA Ratings

NFPA Code for Flammability - 0

NFPA Code for Health - 1

NFPA Code for Reactivity - 0

NFPA Code for Special Hazards - 0

HMIS Ratings

HMIS Code for Flammability - 0

HMIS Code for Health - 1

HMIS Code for Reactivity - 0

HMIS Code for Personal Protection - See Section 8

Abbreviations

N/A: Denotes no applicable information found or available

CAS#: Chemical Abstracts Service Number

ACGIH: American Conference of Governmental Industrial Hygienists

OSHA: Occupational Safety and Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit

NTP: National Toxicology Program

IARC: International Agency for Research on Cancer

R: Risk

S: Safety

T: Toxic

R45: May cause cancer.

Carcinogen Category 2: Substances which should be regarded as if they are carcinogenic to man.

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

BOD: Biological Oxygen Demand

KoC: Soil Organic Carbon Partition Coefficient

16. OTHER INFORMATION

For further information email: msdstechical@berryplastics.com

Prepared By: EnviroNet LLC.

The information and recommendations presented in this MSDS are based on sources believed to be accurate. Berry Plastics Corporation, Tapes and Coatings Division assumes no liability for the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of the **material** for their particular purposes. In particular, we make NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, with respect to such information, and we assume no liability resulting from its use. Users should ensure that any use **or disposal** of the material is in accordance with applicable Federal, State, and local laws and regulations.
